

## Technical Specifications M-2000

GENERAL	
Kerb weight	3600 kg
Gross Vehicle Weight	4660 kg
Drive	Rear Axle
ENGINE	
Туре	Naturally aspirated, air cooled diesel
Displacement	3770 сс
Power	80 BG (DIN 70020)
Torque	230 Nm
AXLES	
Front	Double wish-bone
Rear	Rigid
SUSPENSION	
Front	Torsion bar
Rear	Parabolic leaf spring
BRAKES	
	ABS
Туре	Air assisted hydraulic
Front	Disc
Rear	Drum
Handbrake	Air assisted, acting on rear wheels
STEERING	
Туре	Power assisted steerimg, LHD
Вох	Rack and pinion
GEARBOX	Fully synchronised 5 forward, 1 reverse
СLUTCH	Hydraulic assisted, single dry plate with diaphragm spring, foot operated
DIMENSIONS	
Lenght	5645 mm
Width	2040 mm
Internal Height	1900 mm



## Otokar

Step Height	360 mm
Wheelbase	3000 mm
FUEL CAPACITY	90 It
TYRES	215/75 R17.5 Tubeless
ELECTRICAL	
AlternatOr	12 Volts, 65 A
Battery	12 Volts, 2x72 Ah
PERFORMANCE	
Turning Radius	5.78 m
Max. Speed	110 Km/h
SEATING CAPACITY	14+1

Technical features contain nominal data. These technical specifications may vary according to the vehicle specification and equipment. Otokar reserves the right to modify the specifications and equipment of vehicles beforehand. The details of the specifications and equipment may change according to the local needs and conditions.

